

■ **Electronic assortment, 7-pieces**

**Characteristics**

- Holder with exchangeable blades for slotted screws 1.5 to 4.0 mm
- Cross-slotted PH-screws PH000 to PH1
- Cross-slotted PZ-screws PZ0 to PZ1
- 2-component handle



Item	Part No.	Weight g	Packing unit/pcs	
Electronic assortment, 7-pieces	<b>KL350</b>	161	1	
Scope of supply		Part No.	Page	
Blade 1.5 x 0.25 - 3.0 x 0.5 mm		KLE3501		
Blade 2.0 x 0.4 - 3.5 x 0.6 mm		KLE3502		
Blade 2.5 x 0.4 - 4.0 x 0.8 mm		KLE3503		
Blade PH 000 - PH 00		KLE3504		
Blade PH 0 - PH 1		KLE3505		
Blade PZ 0 - PZ 1		KLE3506		
Tool holder 95 x 14 mm		KLE3507		

■ **Screwdrivers for slotted screws**


- Hanging hole in handle
- Ergonomic 2-component handle for highest torque and best comfort

**Suitable for:**


- Slotted screws

**Characteristics**

- Anti-roll handle design
- Hard impact-resistant core
- Black tip for precision fit



Item	Part No.	Dimensions	Blade length mm	Weight g	pcs.
Screwdrivers for slotted screws	<b>KL1007525</b>	2,5 x 0,4	75	26	1
Screwdrivers for slotted screws	<b>KL1008030</b>	3,0 x 0,5	80	28	1
Screwdrivers for slotted screws	<b>KL10010035</b>	3,5 x 0,6	100	32	1
Screwdrivers for slotted screws	<b>KL10010040</b>	4,0 x 0,8	100	45	1
Slotted screwdrivers	<b>KL10012555</b>	5,5 x 1,0	125	71	1
Slotted screwdrivers	<b>KL10015065</b>	6,5 x 1,2	150	89	1
Slotted screwdrivers	<b>KL10017580</b>	8,0 x 1,2	175	129	1



### ■ Workshop screwdriver

- With hexagonal shank
- Hanging hole in handle
- Ergonomic 2-component handle for highest torque and best comfort


**Suitable for:**

- Slotted screws

**Characteristics**

- Blades made from high-quality molybdenum-vanadium alloy
- Joint-free cap
- Anti-roll handle design
- Hard impact-resistant core
- Black tip for precision fit

Item	Part No.	Dimensions mm	Blade length mm	Weight g	Packing unit/ pcs
Workshop screwdriver	<b>KL10510055</b>	5,5 x 1,0	100	74	1
Workshop screwdriver	<b>KL10512565</b>	6,5 x 1,2	125	100	1
Workshop screwdriver	<b>KL10515080</b>	8,0 x 1,2	150	162	1



### ■ Cross slotted screwdriver

- Hanging hole in handle
- Ergonomic 2-component handle for highest torque and best comfort

**Suitable for:**

- Cross-slotted PZ-screws (Pozidriv) PZ 1, PZ 2, PZ 3

**Characteristics**

- Anti-roll handle design
- Hard impact-resistant core
- Black tip for precision fit

Item	Part No.	Dimensions	Blade length mm	Weight g	pcs.
Cross slotted screwdriver, Pozidriv	<b>KL120PZ1</b>	PZ 1	80	51	1
Cross slotted screwdriver, Pozidriv	<b>KL120PZ2</b>	PZ 2	100	79	1
Cross slotted screwdriver, Pozidriv	<b>KL120PZ3</b>	PZ 3	150	138	1

**■ Cross slotted screwdriver**

- Hanging hole in handle
- Ergonomic 2-component handle for highest torque and best comfort


**Suitable for:**

- Cross-slotted screws (Phillips) PH 1, PH 2, PH 3

**Characteristics**

- Anti-roll handle design
- Hard impact-resistant core
- Black tip for precision fit

Item	Part No.	Dimensions	Blade length mm	Weight g	pcs.
Cross slotted screwdriver	<b>KL110PH1</b>	PH 1	80	51	1
Cross slotted screwdriver	<b>KL110PH2</b>	PH 2	100	79	1
Cross slotted screwdriver	<b>KL110PH3</b>	PH 3	150	138	1



**■ Screwdrivers for Torx**

For Torx TR (Tamper Resistant)

- Hanging hole in handle
- Ergonomic 2-component handle for highest torque and best comfort



**Suitable for:**

- Torx - screws TR

**Characteristics**

- Anti-roll handle design
- Hard impact-resistant core
- Black tip for precision fit

Item	Part No.	Dimensions	Blade length mm	Weight g	pcs.
Screwdrivers for Torx	<b>KL150TR10</b>	Tx TR 10	100	46	1
Screwdrivers for Torx	<b>KL150TR15</b>	Tx TR 15	100	48	1
Screwdrivers for Torx	<b>KL150TR20</b>	Tx TR 20	100	69	1
Screwdrivers for Torx	<b>KL150TR25</b>	Tx TR 25	100	69	1
Screwdrivers for Torx	<b>KL150TR30</b>	Tx TR 30	115	97	1
Screwdrivers for Torx	<b>KL150TR40</b>	Tx TR 40	125	129	1





### ■ Screwdrivers, ball-shaped

- Hanging hole in handle
- Ergonomic 2-component handle for highest torque and best comfort

**Suitable for:**

- Hexagon socket head screws

**Characteristics**

- Anti-roll handle design
- Hard impact-resistant core
- Black tip for precision fit

Item	Part No.	Dimensions mm	Blade length mm	Weight g	Packing unit/ pcs
Screwdrivers, ball-shaped	<b>KL160K13</b>	3	100	29	1
Screwdrivers, ball-shaped	<b>KL160K14</b>	4	100	49	1
Screwdrivers, ball-shaped	<b>KL160K15</b>	5	100	76	1
Screwdrivers, ball-shaped	<b>KL160K16</b>	6	125	91	1
Screwdrivers, ball-shaped	<b>KL160K18</b>	8	150	152	1



### ■ Carburettor screwdriver

- Hanging hole in handle
- Ergonomic 2-component handle for highest torque and best comfort

**Suitable for:**

- Slotted screws 5.5 x 1.0 mm

**Characteristics**

- Anti-roll handle design
- Hard impact-resistant core
- Black tip for precision fit

Item	Part No.	Dimensions mm	Blade length mm	Weight g	Packing unit/ pcs
Carburettor screwdriver, slotted screws	<b>KL1002555</b>	5,5 x 1,0	25	35	1