


■ Universal cabinet key, subkey

- Subkey „Elektro“: for all standard control cabinet closures with double swivel lock

Characteristics

- Inner square 5, 6 and 7 - 8 mm
- Triangular 9 mm
- Double pin keys 3 - 5 mm
- Including 1/4" bit retainer
- with radiator valve key

Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Universal cabinet key, subkey	KL510	145	120	1




■ Universal cabinet key, subkey

- Subkey „Bau“

Characteristics

- With outside square 6 - 9 mm
- Triangular 8 mm
- Square socket 5 and 8 mm
- Including 1/4" bit retainer
- with radiator valve key

Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Universal cabinet key, subkey	KL515	150	125	1



■ Multi key

- With chain and adapter

Characteristics

- Square socket 7 - 8 mm
- Triangular 8 - 9 mm
- Double pin keys 3 - 5 mm
- Half-moon


Item	Part No.	Weight g	Packing unit/pcs
Multi key	KL505	95	1

■ **Control cabinet key**

- With chain and adapter

Characteristics

- With square socket 5, 6 mm, 7 - 8 mm
- Triangular 7 - 8 mm
- Double pin keys 3 - 5 mm
- Slotted screws 1.0 - 7 mm
- Cross-slotted PH 2



Item	Part No.	Weight g	Packing unit/pcs
Control cabinet key	KL500	75	1

■ **Engineer's hammer**

Characteristics

- DIN 1041
- Steel-forged head
- Ground finish
- With protective nylon shroud



Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Engineer's hammer	KL580300	370	300	1
Engineer's hammer	KL580500	610	500	1

■ **Sledge hammer**

Characteristics

- DIN 6475
- Steel-forged head
- Ground finish
- With protective nylon shroud




Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Sledge hammer, 1,000 g	KL5821000	1150	1000	1
Sledge hammer, 1,250 g	KL5821250	1400	1250	1

■ **Jointing chisel**


- Chromium-Vanadium steel, air-hardened

Characteristics

- Safety heads, refined



Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Jointing chisel	KL584230	230 x 26 x 7	250	1




■ **Electricians chisel**

- Chromium-Vanadium steel, air-hardened

Characteristics

- Safety heads, refined

Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Electricians chisel	KL585200	200	90	1
Electricians chisel	KL585250	250	120	1



■ **Safety handle for jointing chisel**

Suitable for:

- Part KL584230

Item	Part No.	Weight g	Packing unit/pcs
Safety handle for jointing chisel	KL586	110	1




■ **Electrician's knife**

Characteristics

- Folding, with plastic handle

Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Electrician's knife	KL540	80	115	1



■ **Hand saw**

Characteristics

- With fixed wooden handle

Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Hand saw	KL559	290	95	1
Metal saw blades	KL550ES	150	2	12

■ **Universal saw**

Characteristics

- With fibreglass reinforced plastic handle

Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Universal saw	KL550	250	170	6
Metal saw blades	KL550ES	150	2	12



■ **Combination scissors**

Suitable for:

- e.g. round or flat material from copper, aluminium, plastic, paper, cardboard, leather

Characteristics

- Serrated cutting edges
- With safety lock

Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Combination scissors	KL545	190	100	1



■ **Universal knife**

- with safety storage cartridge

Characteristics

- With adjustable and replaceable blades

Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Universal knife	KL542		305	1
Spare blade	KL542ES	60x19x0,5	8	1



■ **Cutter knife**

Characteristics

- Knife with knock-off blades, all 9 mm

Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Cutter knife	KL544	9	45	1
Spare blade	KL544ES		5	1





■ Saw set with push-in blade



- Extending blade
- Fast, easy blade replacement
- Ergonomic handles
- Blade stored in handle
- Flexible application
- Two saw blades included

Suitable for:

- Rigips, wood, plastic, metal or PVC

Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Saw set with push-in blade	50131109	42.9x27.9x214	158	1



■ Safety goggles in nylon bag



- With replaceable lenses
- Simple and fast replacement
- Can be turned into sunglasses

Item	Part No.	Weight g	Packing unit/pcs
Safety goggles in nylon bag	KL604	33	1
Sun protection lenses for KL604	KL604S	23	1