



### ■ Slug Buster® punch set

Complete set for all ranges from ISO 16 - 40

**Suitable for:**

- Mild steel, plastic and aluminium up to 3 mm thick

**Operation:**

- Manual

**Predrilling:**

- Draw stud 9.5 mm, pilot drill Ø 9.7 mm 50360183  
Draw stud 19 mm, pilot drill Ø 20.5 mm 50344030

Item	Part No.	
Slug Buster® slug splitting set ISO 16 to 40	<b>50366920</b>	
Scope of supply	Part No.	Page
Slug Buster Punch Set ISO 16-40	50356178	572
Draw studs for manual operation 9.5 x 40 mm	50000420	
Draw stud	50040405	
Ratchet	51349410	
Kwik Stepper™ step bit 9.7 mm	50360183	588
Plastic case	50366866	



### ■ Slug Buster® punch set

Complete set for all ranges from PG 9-21 and 30.5 mm

**Suitable for:**

- Mild steel, plastic and aluminium up to 3 mm thick

**Operation:**

- Manual

**Predrilling:**

- Draw stud 9.5 mm, pilot drill Ø 9.7 mm 50360183  
Draw stud 19 mm, pilot drill Ø 20.5 mm 50344030

Item	Part No.	
Slug Buster® slug splitting set PG9-21 and 30.5 mm	<b>50366904</b>	
Scope of supply	Part No.	Page
Slug Buster® slug splitting set PG9-21 and 30.5 mm	50323989	573
Draw studs for manual operation 9.5 x 40 mm	50000420	
Ratchet	51349410	
Kwik Stepper™ step bit 9.7 mm	50360183	588
Plastic case	50366866	

■ **Slug Buster® punch set**

Complete set for all ranges from ISO 16 - 63

**Suitable for:**

- Mild steel, plastic and aluminium up to 3 mm thick

**Operation:**

- Manual

**Predrilling:**

- Draw stud 9.5 mm, pilot drill Ø 9.7 mm 50360183  
Draw stud 19 mm, pilot drill Ø 20.5 mm 50344030

Item	Part No.	
Slug Buster® slug splitting set ISO 16 to 63	<b>50366939</b>	
Scope of supply	Part No.	Page
Slug Buster Punch Set ISO 16-63	50068920	572
Draw studs for manual operation 9.5 x 40 mm	50000420	
Draw stud	50040405	
Ratchet	51349410	
Kwik Stepper™ step bit 9.7 mm	50360183	588
Plastic case	50366866	



■ **Slug Buster® punch set**

Complete set for all ranges from PG 9-48 and 30.5 mm

**Suitable for:**

- Mild steel, plastic and aluminium up to 3 mm thick

**Operation:**

- Manual

**Predrilling:**

- Draw stud 9.5 mm, pilot drill Ø 9.7 mm 50360183  
Draw stud 19 mm, pilot drill Ø 20.5 mm 50344030

Item	Part No.	
Slug Buster® slug splitting set PG9-48 and 30.5 mm	<b>50366912</b>	
Scope of supply	Part No.	Page
Draw studs for manual operation 9.5 x 40 mm	50000420	
Draw stud	50040405	541
Ratchet	51349410	
Slug Buster® slug splitting set PG9-48 and 30.5 mm	50328034	573
Plastic case	50366882	





### ■ SLUG-SPLITTER® punch set (stainless steel) ISO 16-40

- Unique punch profile
- Splitted slugs fall free and can be removed easily

#### Suitable for:

- Stainless , mild steel, plastic and aluminium up to 3.5 mm thick

#### Operation:

- Hydraulic

#### Predrilling:

- Draw stud 19 mm, pilot drill  $\varnothing$  20.5 mm 50344030
- Draw stud 11.1 mm, pilot drill  $\varnothing$  12.7 mm 50344102

Item	Part No.	
SLUG-SPLITTER® punch set (stainless steel) ISO16/20/25/32/40	<b>50766803</b>	
Scope of supply	Part No.	Page
SLUG-SPLITTER® punch set (stainless steel) ISO 16	50069527	542
SLUG-SPLITTER® punch set (stainless steel) ISO 20	50069543	542
SLUG-SPLITTER® punch set (stainless steel) ISO 25	50069560	542
SLUG-SPLITTER® punch set (stainless steel) ISO 32	50069594	542
SLUG-SPLITTER® punch set (stainless steel) ISO 40	50069616	542
Draw studs $\varnothing$ 11.1 mm	50294512	542
Draw studs $\varnothing$ 19 mm	50294520	542
Plastic case	50766810	569

**■ SLUG-SPLITTER® punch set (stainless steel)  
ISO 16-63**

- Unique punch profile
- Splitted slugs fall free and can be removed easily

**Suitable for:**

- Stainless , mild steel, plastic and aluminium up to 3.5 mm thick

**Operation:**

- Hydraulic

**Predrilling:**

- Draw stud 19 mm, pilot drill Ø 20.5 mm 50344030  
Draw stud 11.1 mm, pilot drill Ø 12.7 mm 50344102



Item	Part No.	
SLUG-SPLITTER® punch set (stainless steel) ISO16/20/25/32/40/50/63	<b>50766797</b>	
Scope of supply	Part No.	Page
SLUG-SPLITTER® punch set (stainless steel) ISO 16	50069527	542
SLUG-SPLITTER® punch set (stainless steel) ISO 20	50069543	542
SLUG-SPLITTER® punch set (stainless steel) ISO 25	50069560	542
SLUG-SPLITTER® punch set (stainless steel) ISO 32	50069594	542
SLUG-SPLITTER® punch set (stainless steel) ISO 40	50069616	542
SLUG-SPLITTER® punch set (stainless steel) ISO 50	50069632	542
SLUG-SPLITTER® punch set (stainless steel) ISO 63	50069667	542
Draw studs Ø 11.1 mm	50294512	542
Draw studs Ø 19 mm	50294520	542
Plastic case	50766810	569

**■ Plastic case**

For Slug Buster® and Slug Splitter® slug splitting sets

**Suitable for:**

- Slug Buster® slug splitting sets 50356178, 50068920, 50323989 and 50328034
- Dimensions: 255 x 75 x 200 mm

Item	Part No.
Plastic case	<b>50766810</b>





### ■ Slug Buster® hand hydraulic punch driver set

Complete set for all ranges from PG 9-21 and 30.5 mm

**Suitable for:**

- Mild steel, plastic and aluminium up to 3 mm thick

**Operation:**

- Hydraulic

**Predrilling:**

- Draw stud 9.5 mm, pilot drill Ø 9.7 mm 50360183  
Draw stud 19 mm, pilot drill Ø 20.5 mm 50344030

Item	Part No.	
Slug Buster® slug splitting set PG9-21 and 30.5 mm	<b>50356119</b>	
Scope of supply	Part No.	Page
Hand hydraulic punch driver 7804E	50342886	
Draw studs for hydraulic operation 9.5 X 71 mm	50300431	541
Draw studs for hydraulic operation 19.0 X 105 mm	50318721	541
Spacer , short	50032488	
Adapter 19.0 x 48 mm with internal thread 9.5 mm	50339672	545
Slug Buster® slug splitting set PG9-21 and 30.5 mm	50323989	573
Plastic case	50352024	



### ■ Slug Buster® hand hydraulic punch driver set

Complete set for all ranges from PG 9-21 and 30.5 mm

**Suitable for:**

- Mild steel, plastic and aluminium up to 3 mm thick

**Operation:**

- Hydraulic

**Predrilling:**

- Draw stud 9.5 mm, pilot drill Ø 9.7 mm 50360183  
Draw stud 19 mm, pilot drill Ø 20.5 mm 50344030

Item	Part No.	
Slug Buster® hand hydraulic punch driver set PG 9 to 21 and 30.5 mm	<b>50356151</b>	
Scope of supply	Part No.	Page
Hand hydraulic punch driver 7904E	50337866	
Draw studs for hydraulic operation 9.5 X 71 mm	50300431	541
Draw studs for hydraulic operation 19.0 X 105 mm	50318721	541
Spacer , short	50032488	
Adapter 19.0 x 48 mm with internal thread 9.5 mm	50339672	545
Slug Buster® slug splitting set PG9-21 and 30.5 mm	50323989	573
Plastic case	50352024	

**■ Slug Buster® hand hydraulic punch driver set**

Complete set for all ranges from ISO 16 - 40

**Suitable for:**

- Mild steel, plastic and aluminium up to 3 mm thick

**Operation:**

- Hydraulic

**Predrilling:**

- Draw stud 9.5 mm, pilot drill Ø 9.7 mm 50360183  
Draw stud 19 mm, pilot drill Ø 20.5 mm 50344030



Item	Part No.	
Slug Buster® hand hydraulic punch driver set ISO 16 to 40	<b>50356143</b>	
Scope of supply	Part No.	Page
Hand hydraulic punch driver 7804E	50342886	
Draw studs for hydraulic operation 9.5 X 71 mm	50300431	541
Draw studs for hydraulic operation 19.0 X 105 mm	50318721	541
Spacer , short	50032488	
Adapter 19.0 x 48 mm with internal thread 9.5 mm	50339672	545
Slug Buster Punch Set ISO 16-40	50356178	572
Plastic case	50352024	

**■ Slug Buster® hand hydraulic punch driver set**

Complete set for all ranges from ISO 16 - 40

**Suitable for:**

- Mild steel, plastic and aluminium up to 3 mm thick

**Operation:**

- Hydraulic

**Predrilling:**

- Draw stud 9.5 mm, pilot drill Ø 9.7 mm 50360183  
Draw stud 19 mm, pilot drill Ø 20.5 mm 50344030



Item	Part No.	
Slug Buster® hand hydraulic punch driver set ISO 16 to 40	<b>50356160</b>	
Scope of supply	Part No.	Page
Hand hydraulic punch driver 7904E	50337866	
Draw studs for hydraulic operation 9.5 X 71 mm	50300431	541
Draw studs for hydraulic operation 19.0 X 105 mm	50318721	541
Spacer , short	50032488	
Adapter 19.0 x 48 mm with internal thread 9.5 mm	50339672	545
Slug Buster Punch Set ISO 16-40	50356178	572
Plastic case	50352024	



### ■ Slug Buster® punch set

- Unique punch profile
- Splitted slugs fall free and can be removed easily

#### Suitable for:

- Mild steel, plastic and aluminium up to 3 mm thick

#### Operation:

- Manual and hydraulic

#### Predrilling:

- Draw stud 9.5 mm, pilot drill Ø 9.7 mm 50360183  
Draw stud 19 mm, pilot drill Ø 20.5 mm 50344030

#### Scope of supply

- Complete system consisting of punch and die in 5 sizes

Item	Part No.
Slug Buster Punch Set ISO 16-40	<b>50356178</b>

Accessories	Part No.	Page
Plastic case	50766810	569

### ■ Slug Buster® punch set

- Unique punch profile
- Splitted slugs fall free and can be removed easily

#### Suitable for:

- Mild steel, plastic and aluminium up to 3 mm thick

#### Operation:

- Manual and hydraulic

#### Predrilling:

- Draw stud 9.5 mm, pilot drill Ø 9.7 mm 50360183  
Draw stud 19 mm, pilot drill Ø 20.5 mm 50344030

#### Scope of supply

- Complete system consisting of punch and die in 7 sizes

Item	Part No.
Slug Buster Punch Set ISO 16-63	<b>50068920</b>

Accessories	Part No.	Page
Plastic case	50766810	569

## ■ Slug Buster® punch set

- Unique punch profile
- Splitted slugs fall free and can be removed easily

### Suitable for:

- Mild steel, plastic and aluminium up to 3 mm thick

### Operation:

- Manual and hydraulic

### Predrilling:

- Draw stud 9.5 mm, pilot drill Ø 9.7 mm 50360183  
Draw stud 19 mm, pilot drill Ø 20.5 mm 50344030

### Scope of supply

- Complete system consisting of punch and die in 6 sizes

Item	Part No.
Slug Buster® slug splitting set PG9-21 and 30.5 mm	<b>50323989</b>

Accessories	Part No.	Page
Plastic case	50766810	569



## ■ Slug Buster® punch set

- Unique punch profile
- Splitted slugs fall free and can be removed easily

### Suitable for:

- Mild steel, plastic and aluminium up to 3 mm thick

### Operation:

- Manual and hydraulic

### Predrilling:

- Draw stud 9.5 mm, pilot drill Ø 9.7 mm 50360183  
Draw stud 19 mm, pilot drill Ø 20.5 mm 50344030

### Scope of supply

- Complete system consisting of punch and die in 9 sizes

Item	Part No.
Slug Buster® slug splitting set PG9-48 and 30.5 mm	<b>50328034</b>

Accessories	Part No.	Page
Plastic case	50766810	569

