



■ Crimping dies HR 4

Suitable for:

- Copper tubular cable lugs and connectors, standard design
- Tubular cable lugs for switchgear connections

mm ²	Part No.	Crimp width mm	
6	HR46	5	
10	HR410	5	
16	HR416	5	
25	HR425	5	
35	HR435	5	
50	HR450	5	
70	HR470	5	
95	HR495	5	
120	HR4120	5	
150	HR4150	5	




■ Crimping dies HIS 4

Suitable for:

- Insulated tubular cable lugs and connectors
- Insulated pin terminals

mm ²	Part No.	Crimp width mm	
10	HIS410	5	
16	HIS416	5	
25	HIS425	5	
35	HIS435	5	
50	HIS450	5	
70	HIS470	5	



■ Crimping dies HF 4

Suitable for:

- Tubular cable lugs and compression joints for fine stranded conductors



mm ²	Part No.		
10	HF410		
16	HF416		
25	HF425		
35	HF435		
50	HF450		

■ Crimping dies HM 4

Suitable for:

- Tubular cable lugs and connectors for solid conductors

mm ²	Part No.	Crimp width mm	
1.5-2.5 4	HM4154		
6-10	HM4610		
16	HM416		




■ Crimping dies HN 4

Suitable for:

- Nickel tubular cable lugs and connectors
- Stainless steel tubular cable lugs and connectors

mm ²	Part No.		
0.5-1	HN4051		
1.5 - 2.5	HN41525		
4-6	HN446		
10	HN410		
16	HN416		





■ Crimping dies HD 4

Suitable for:

- Copper compression cable lugs (DIN 46235) and connectors (DIN 46267, part 1) acc. to DIN

mm ²	Part No.	Code	Crimp width mm
6	HD46	5	5
10	HD410	6	5
16	HD416	8	5
25	HD425	10	5
35	HD435	12	5
50	HD450	14	5
70	HD470	16	5
95	HD495	18	5
120	HD4120	22	5





■ Crimping dies HQ 4

Suitable for:

- Copper solderless terminals (DIN 46234) and pin terminals (DIN 46230) acc. to DIN
- Copper solderless connectors (DIN 46341) acc. to DIN

mm ²	Part No.		
10	HQ410		
16	HQ416		
25	HQ425		
35	HQ435		







■ Crimping dies HISQ 4

Suitable for:

- Insulated solderless terminals and pin terminals

mm ²	Part No.		
10	HISQ410		
16	HISQ416		





■ Crimping dies HRU 4

Suitable for:

- Pre-rounding dies for sector-shaped Al and Cu conductors
- 3- and 4-core sector-shaped conductors

mm ² se	mm ² sm	Part No.	Conductor Ø mm	Pre-rounding width mm
	10	HRU410	4.1	9
	16	HRU416	5.1	9
35	25	HRU43525	6.3	9
50	35	HRU45035	7.5	9
70	50	HRU47050	9.0	9
95	70	HRU49570	10.5	9
120	95	HRU412095	12.5	9
150	120	HRU4150120	14.0	9





■ Crimping dies HA 4

Suitable for:

- Aluminium compression cable lugs and connectors to DIN

mm ²	Part No.	Code	Crimp width mm
10	HA410	10	7
16-25	HA41625	12	7
35	HA435	14	7
50	HA450	16	7
70	HA470	18	7



■ Crimping dies HAD 4

Suitable for:

- Compression joints for full tension connections of Aldrey conductors acc. to DIN EN 50182



mm ²	Part No.	Code	Crimp width mm
25	HAD425	12	7
35	HAD435	14	7
50	HAD450	16	7

■ Crimping dies HC 4 / HMC 4

Suitable for:

- Clamps, C-type

mm ²	Part No.	Crimp width mm	
16	HC416	5	
25	HC425	5	
4-4	HMC44	5	
10-10	HMC410	5	
10-16 10-25 35-35	HMC435	5	





■ Crimping dies HAE 4

Suitable for:

- Cable end-sleeves

mm ²	Part No.	Crimp width mm	
10	HAE410	10	
16	HAE416	10	
25	HAE425	10	
35	HAE435	10	
50	HAE450	10	





■ Crimping dies HZAE 4

Suitable for:

- Twin cable end-sleeves

mm ²	Part No.	Crimp width mm	
2 x 4	HZAE44	10	
2 x 6	HZAE46	10	
2 x 10	HZAE410	10	
2 x 16	HZAE416	10	






■ Crimping dies HAES 4

Suitable for:

- Cable end-sleeves
- Special trapezoid crimp for „compact“ fine stranded conductors

mm ²	Part No.	Crimp width mm	
10	HAES410	10	
16	HAES416	10	
25	HAES425	10	
35	HAES435	10	
50	HAES450	10	





■ Crimping dies HZAES 4

Suitable for:

- Twin cable end-sleeves
- Special trapezoid crimp for „compacted“ fine stranded conductors

mm ²	Part No.	Crimp width mm	
2 x 4	HZAES44	10	
2 x 6	HZAES46	10	
2 x 10	HZAES410	10	
2 x 16	HZAES416	10	